

SAFETY DATA SHEET

Revision date 2020-01-28

Revision number 1.02

1. IDENTIFICATION

Product identifier MC-720	
Product name	Aluminum chloride solution (Intermediate grade)
Other means of identification	
Product code Synonyms	3207B Aluminum chloride, solution; Aluminum trichloride solution AICI3*6H2O Solution
Recommended use of the chemica	I and restrictions on use
Recommended use [RU] Uses advised against	No information available No information available
Details of the supplier of the safety	v data sheet
Supplier	Meitler Consulting, Inc. 7333 Dover Lane Kansas City, KS 66106 913-422-9339 Hours: Monday-Friday 9:00-6:00 CST (Central Standard Time)
Contact Point	Brian@mciclay.com
Emergency telephone number 81	6-896-4398 or 402-689-6339

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Physical state	Color	Appearance	Odor
liquid	colorless to yellow	clear	no appreciable odor
	-		



DANGER

Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	weight-%	TRADE SECRET
Aluminum Chloride	7446-70-0	< 30%	*
Water	7732-18-5	> 70%	*

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First Aid Measures

Eye contact

Remove contact lenses, if worn. Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Seek medical advice immediately.

Skin contact

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

Ingestion

Do NOT induce vomiting. If vomiting should occur spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Get medical attention.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Acute effects

Possible eye, skin, and respiratory tract irritation or burns.

Chronic effects

May aggravate existing skin, eye, and lung conditions. Persons with kidney disorders have an increased risk from exposure based on general information found on aluminum salts.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Aluminum soluble salts may cause gastroenteritis if ingested. Treatment includes the use of demulcents. Note: Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons No information available.

Special hazards arising from the substance or mixture

Special Hazard

May produce hazardous fumes or hazardous decomposition products.

Advice for firefighters

Firefighting measures

Product is a water solution and nonflammable. In a fire, this product may build up pressure and rupture a sealed container; cool exposed containers with water spray. Use self-contained breathing apparatus in confined areas; avoid breathing mist or spray.

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear suitable protective clothing and gloves.

Environmental precautions

Environmental precautions

Do not permit solutions of product into sewers or waterways.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material. Shovel into labeled waste container for disposal. Provide adequate ventilation to spill area. Clean up residual material by washing area with water. Collect washings for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Keep container closed when not in use Keep away from heat and open flame. Avoid contact with eyes, skin and clothing Wear chemical splash goggles, gloves, and protective clothing when handling. Wash thoroughly after handling Avoid breathing vapor or mist Use with adequate ventilation and employ respiratory protection where mist or spray may be generated. Do not take internally FOR INDUSTRIAL USE ONLY.

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Do not store in unlined metal containers. Product may slowly corrode iron, brass, copper, aluminum, mild steel, and stainless steel. Store in a cool, dry place away from heat.

Incompatible products Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Wear chemical splash goggles and face shield (when eye and face contact is possible due to splashing or spraying of material).

Hand Protection

Appropriate chemical resistant gloves should be worn.

Skin and body protection

Standard work clothing and work shoes.

Respiratory protection

If exposures exceed the PEL or TLV, use NIOSH/MSHA approved respirator in accordance with OSHA Respiratory Protection Requirements under 29 CFR 1910.134. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

Other personal protection data

Eyewash fountains and safety showers must be easily accessible.

Hygiene measures

Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Color Appearance Odor Odor threshold	liquid colorless to yellow clear no appreciable odor No information available	
Property	<u>Values</u>	Remarks / Method
рН	< 1	as is
Melting / freezing point	-35 °C / -31 °F	No information available
Boiling point / boiling range	104 °C / 220 °F	No information available
Flash point	Not applicable	No information available
Evaporation rate	No information available	No information available
Flammability (solid, gas)	Not applicable	No information available

Not applicable

Flammability Limit in Air Upper flammability limit

No information available

Lower flammability limit	Not applicable	No information available
Vapor pressure	No information available	No information available
Vapor density	No information available	No information available
Specific gravity	1.27 - 1.29	No information available
Solubility (water)	Soluble	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	Not applicable	No information available
Decomposition temperature	No information available	No information available
Kinematic viscosity	No information available	No information available
Dynamic viscosity	< 50 cps @ 20 °C	No information available

Other information

Density	10.59 - 10.76 lb/gal
Bulk Density	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	Not applicable
Volatile Organic Compound (VOC) content, wt.%	No information available
Percent Volatile, wt.%	48 - 52 %

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No data available.

Chemical stability

Chemical stability Stable.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No.

Conditions to avoid

Conditions to avoid None known.

Incompatible materials

Materials to avoid Alkalis.

Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition may release toxic and/or hazardous gases such as Cl₂ and HCl.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact

Based on pH, this product is expected to cause severe eye irritation, possibly resulting in burns and eye damage. Prolonged exposure to Aluminum salts may cause conjunctivitis.

Skin contact

Prolonged and/or repeated contact will cause severe skin irritation and burns.

Ingestion

Harmful if swallowed. May cause burns of the mouth, throat and stomach. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation

Inhalation of mist or spray may irritate respiratory tract and may cause burns and difficulty breathing.

Acute toxicity - Product Information

Oral LD50	3700 mg/kg (rat) ¹ 3805 mg/kg (mouse) ²	
Dermal LD50	No information available	
Inhalation LC50	No information available	

Acute toxicity - Component Information

Component	weight-%	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum Chloride	< 30%	= 380 mg/kg (Rat)		

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns

Serious eye damage/eye irritation Risk of serious damage to eyes

Sensitization No information available

Germ cell mutagenicity

No information available

Carcinogenicity

This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA.

Reproductive toxicity

No information available

Specific target organ toxicity - Single exposure No information available.

Specific target organ toxicity - Repeated exposure No information available

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1357	mg/kg
ATEmix (dermal)	7150	mg/kg

Other information

Conclusions are drawn from sources other than direct testing.

¹ Environmental Quality and Safety, Supplemental. (Academic Press, 111 5th., Ave., New York, NY 10003) V.1-1975-

² British Journal of Industrial Medicine. (British Medical Journal, 1172 Commonwealth Ave., Boston, MA 02134) V.1- 1944-

12. ECOLOGICAL INFORMATION

Ecotoxicity

· Harmful to aquatic life with long lasting effects

Acute aquatic toxicity - Product Information

Fish	No information available
Crustacea	No information available
Algae/aquatic plants	No information available

Acute aquatic toxicity - Component Information

Component	weight-%	Algae/aquatic plants	Fish	Toxicity to daphnia and other aquatic invertebrates
Aluminum Chloride 7446-70-0	< 30%		LC50 (96 h) 6.2 - 11.9 mg/L (Oncorhynchus mykiss) LC50 (96 h flow-through) 5.31 - 7.2 mg/L (Oncorhynchus mykiss) LC50 (96 h) = 27.1 mg/L (Gambusia affinis)	

Persistence and degradability

Persistence and degradability

No information available

Bioaccumulative potential

Bioaccumulative potential No information available.

Mobility

Mobility No information available

Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available

Other adverse effects

Other information

No other ecological studies have been carried out on this product.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Do NOT mix with other chemical wastes. Avoid landfilling liquids. Do not put solutions containing this product into sewer systems. Dispose of product in an approved chemical waste landfill or incinerate in accordance with applicable Federal, state and local regulations.

Contaminated packaging

Do not reuse empty containers. Since empty containers retain product residue, follow label warnings even after container is emptied.

RCRA

Is the unused product a RCRA hazardous waste if discarded? (Yes/No)	Yes
If yes, the EPA Hazardous Waste Code is:	D002 (corrosivity)

14.1	RANS	SPORT	INFORM	

DOT	Regulated
DOT UN/NA Number	UN2581
Proper shipping name	ALUMINUM CHLORIDE SOLUTION
Hazard class	8
Packing group	III
ERG Number	154
	Regulated
UN number	UN2581
Proper shipping name	ALUMINUM CHLORIDE SOLUTION
Hazard class	8
Packing group	III
ERG Code	8L

IMDG

UN number	UN2581
Proper shipping name	ALUMINUM CHLORIDE SOLUTION
Hazard class	8
Packing group	III
EmS	F-A; S-B

Harmonized Tariff Number

2827.32

Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA (United States)

All ingredients are on the inventory or exempt from listing

Australia (AICS)

All ingredients are on the inventory or exempt from listing

Canada (DSL)

All ingredients are on the inventory or exempt from listing

Canada (NDSL)

None of the ingredients are on the inventory.

China (IECSC)

All ingredients are on the inventory or exempt from listing

EINECS (European Inventory of Existing Chemical Substances)

All ingredients are on the inventory or exempt from listing

ELINCS (European List of Notified Chemical Substances)

None of the ingredients are on the inventory.

ENCS (Japan)

All ingredients are on the inventory or exempt from listing

South Korea (KECL)

All ingredients are on the inventory or exempt from listing

Philippines (PICCS)

All ingredients are on the inventory or exempt from listing

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

- **KECL** Korean Existing and Evaluated Chemical Substances
- PICCS Philippines Inventory of Chemicals and Chemical Substances

U.S. Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Aluminum Chloride 7446-70-0		
Massachusetts Right to Know Law	Present	
Minnesota Hazardous Substance List	Present	
New Jersey Right to Know List	sn 0057	
Pennsylvania Right to Know List	Present (dust, as AI) Present	

16. OTHER INFORMATION

NFPA Rating	Health -	2	Flammability - 0	Instability - 0	Special Hazard - COR
HMIS Rating	Health -	2	Flammability - 0	Physical hazards - 0	Personal protection - B
Product code		3207B			
Revision date		2020-01-28	3		
Revision number		1.02			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet